This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

BLACK BORDERS

IMAGE CUT OFF AT TOP, BOTTOM OR SIDES

FADED TEXT OR DRAWING

BLURRED OR ILLEGIBLE TEXT OR DRAWING

SKEWED/SLANTED IMAGES

COLOR OR BLACK AND WHITE PHOTOGRAPHS

GRAY SCALE DOCUMENTS

LINES OR MARKS ON ORIGINAL DOCUMENT

REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

OTHER:

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.

L Number	Hits	Search Text	DB	Time stamp
9	11	"5920070"	USPAT;	2004/09/02 09:37
			US-PGPUB;	200 1, 05, 02 03.57
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
10	1	"5920070" and grid	USPAT;	2004/09/02 09:38
			US-PGPUB;	200 1/03/02 03:50
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
17	0	(5920070.pn. or 4621291.pn. or 4835617.pn. or 5144447.pn.)	USPAT;	2004/09/02 11:09
		and (selenium or iodide or gallium or arsenide or titanium)	US-PGPUB;	,
			EPO; JPO;	
			DERWENT;	
]			IBM TDB	
18	0	(5920070.pn. or 4621291.pn. or 4835617.pn. or 5144447.pn.)	USPAT;	2004/09/02 14:46
		and (selenium or iodide or gallium or arsenide or titanium or	US-PGPUB;	2001/05/02 11:10
		chromiun)	EPO; JPO;	
1		,	DERWENT;	
			IBM_TDB	
19	0	(5920070.pn. or 4621291.pn. or 4835617.pn. or 5144447.pn.)	USPAT;	2004/09/02 11:11
		and (selenium or iodide or gallium or arsenide or titanium or	US-PGPUB;	
		chromium)	EPO; JPO;	
l		•	DERWENT;	
			IBM_TDB	
20	4	(5920070.pn. or 4621291.pn. or 4835617.pn. or 5144447.pn.)	USPAT;	2004/09/02 11:24
1		and (amplifier)	US-PGPUB;	
		· ' '	EPO; JPO;	
ļ			DERWENT;	
			IBM_TDB	
23	92	camera and x\$1ray and grid and read\$4 and (tft or thin adj film	USPAT;	2004/09/02 11:31
		adj transistor)	US-PGPUB;	200 1,00,02 11:01
	i		EPO; JPO;	
			DERWENT;	
			IBM_TDB	
26	22	camera and x\$1ray and grid and read\$4 and (tft or thin adj film	USPAT;	2004/09/02 12:50
		adj transistor) and (mux or multiplex\$4) same (analog or	US-PGPUB;	,,
		digital) and (a\$3d or a/d or ad or (analog adj3 digital adj	EPO; JPO;	
		convert\$4))	DERWENT;	
			IBM_TDB	
29	22	(camera and x\$1ray and grid and read\$4 and (tft or thin adj	USPAT;	2004/09/02 14:26
		film adj transistor) and (mux or multiplex\$4) same (analog or	US-PGPUB;	. ,
		digital) and (a\$3d or a/d or ad or (analog adj3 digital adj	EPO; JPO;	1
		convert\$4))) and process\$4	DERWENT;	l
22			IBM_TDB	
32	62	camera and gate with resistivity and (sensor or detector) and	USPAT;	2004/09/02 14:38
		@ad<20001227	US-PGPUB;	•
			EPO; JPO;	
			DERWENT;	
33			IBM_TDB	
33	0	JPA5304171	USPAT;	2004/09/02 14:34
1	Ī		US-PGPUB;	
-			EPO; JPO;	
	İ		DERWENT;	
24		WEOD 4474W	IBM_TDB	
34	44	"5304171"	USPAT;	2004/09/02 14:34
	-		US-PGPUB;	
1			EPO; JPO;	
			DERWENT;	
			IBM_TDB	

	г			
35	12	camera and gate with line with resistivity and (sensor or detector) and @ad<20001227	USPAT; US-PGPUB;	2004/09/02 14:38
		detector) and Gad (2000122)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
36	0	(5920070.pn. or 4621291.pn. or 4835617.pn. or 5144447.pn.)	USPAT;	2004/09/02 14:47
		and (selenium or iodide or gallium or arsenide or titanium or	US-PGPUB;	, ,
		chromiun or material) with gate	EPO; JPO;	
			DERWENT;	
27			IBM_TDB	
37	141	camera and gate with line with (gold or aluminium)	USPAT;	2004/09/02 14:55
			US-PGPUB;	
			EPO; JPO;	
		·	DERWENT;	
38	39	camera and gate with line with resistivity	IBM_TDB	2004/00/02 46-20
30	33	canicia and gate with line with resistivity	USPAT; US-PGPUB;	2004/09/02 16:38
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
41	431	camera and gate with line with material	USPAT;	2004/09/02 14:58
			US-PGPUB;	200 1, 03, 02 11.50
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
42	149	camera and gate with line with material and @ad<20001227	USPAT;	2004/09/02 15:03
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
43	12	camera and gate with line with titanium and @ad<20001227	IBM_TDB	2004/00/02 45 04
13	12	carriera and gate with line with titallium and @ad<20001227	USPAT; US-PGPUB;	2004/09/02 15:04
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
44	5	camera and gate adj line with titanium and @ad<20001227	USPAT;	2004/09/02 15:06
			US-PGPUB;	, ,
			EPO; JPO;	
			DERWENT;	
45		company and cake a differentials (A)	IBM_TDB	
TJ	9	camera and gate adj line with (titanium or molybdenum or	USPAT;	2004/09/02 15:06
		chromium) and @ad<20001227	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM_TDB	
46	355	camera and anisotropic with conductive with (resin or bond\$4	USPAT;	2004/09/02 16:39
		or glue\$4)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
47	59	camera and anisotropic with conductive with (resin or bond\$4	USPAT;	2004/09/02 16:41
		or glue\$4) AND @AD<20000101	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
48	34	camera and anisotropic with conductive with (resin or bond\$4	IBM_TDB USPAT;	2004/00/02 46:42
	31	or glue\$4) AND @AD<20000101 and (read\$4 or driv\$4)	US-PGPUB;	2004/09/02 16:43
		See Try (and Green account of all the first of all th	EPO; JPO;	
			DERWENT;	
			IBM_TDB	

49	3	camera and anisotropic with conductive with (resin or bond\$4 or glue\$4) AND @AD<20000101 and (read\$4 or driv\$4) same	USPAT; US-PGPUB;	2004/09/02 16:43
		qate	EPO; JPO;	
		gate	DERWENT;	
	1		IBM_TDB	
50	3	camera and anisotropic with (resin or bond\$4 or glue\$4) AND	USPAT;	2004/09/02 16:44
30		@AD<20000101 and (read\$4 or driv\$4) same gate	US-PGPUB;	2004/03/02 10.44
		WAS 120000101 and (ready) of diffy) same gate	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
51	4	camera and anisotropic\$4 with (resin or bond\$4 or glue\$4)	USPAT;	2004/09/02 16:47
		AND @AD<20000101 and (read\$4 or driv\$4) same gate	US-PGPUB;	200 17 05 7 02 10: 17
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
52	116	anisotropic\$4 with (resin or bond\$4 or glue\$4) AND	USPAT;	2004/09/02 16:47
		@AD<20000101 and (read\$4 or driv\$4) same gate	US-PGPUB;	
		, , , , , , , , , , , , , , , , , , , ,	EPO; JPO;	
			DERWENT;	
			IBM_TDB	•
53	2	5886353.pn.	USPAT;	2004/09/02 16:49
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2075	tamura and radiation	USPAT;	2004/08/25 16:03
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	100	hammer and an district and an experience	IBM_TDB	
-	188	tamura and radiation and camera	USPAT;	2004/08/25 16:03
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_	49	tamura and radiation and camera and x-ray	IBM_TDB USPAT;	2004/08/30 16:16
	.,	tarriara ana radiadori ana camera ana x ray	US-PGPUB;	2004/00/30 10.10
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	71	(KAMESHIMA and TOSHIO).in.	USPAT;	2004/08/25 16:31
		,	US-PGPUB;	, ,
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	19	(KAMESHIMA and TOSHIO).in. and @ay>1998	USPAT;	2004/08/25 16:40
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	[[((KAMECHIMA and TOCULO) or (K-16) and National (N.)	IBM_TDB	2004/00/25 15
-	53	((KAMESHIMA and TOSHIO) or (Kaifu and Noriyuki)).in. and	USPAT;	2004/08/25 16:41
		@ay>1998	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM_TDB	
_	456	348/294.ccls.	USPAT;	2004/08/26 10:47
	,50	- 0.0, ±0 (10010)	US-PGPUB;	2007/00/20 10:4/
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
			, ,	

-	341	348/294.ccls. and @ad<20001227	USPAT;	2004/08/26 10:47
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	54	348/294.ccls. and @ad<20001227 and gate with driv\$4	USPAT;	2004/08/26 11:05
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	30	348/303.ccls. and @ad<20001227 and gate with driv\$4	USPAT;	2004/08/26 11:14
		_	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	25	348/316.ccls. and @ad<20001227 and gate with driv\$4	USPAT;	2004/08/26 11:25
		,	US-PGPUB;	, ,
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
l ₋	86	348/308.ccls. and @ad<20001227 and gate with driv\$4	USPAT;	2004/08/26 11:32
	55	5 10/300.003. and wad \20001227 and gate with anypt	US-PGPUB;	2007/00/20 11.32
			EPO; JPO;	
	1		DERWENT;	
	1			
	1590	camera and ((aste or vertical or horizontal or column or row)	IBM_TDB	2004/00/26 11.22
-	1590	camera and ((gate or vertical or horizontal or column or row)	USPAT;	2004/08/26 11:33
		near5 driv\$4) with second	US-PGPUB;	
			EPO; JPO;	
ì			DERWENT;	
			IBM_TDB	
-	1815	camera and ((gate or vertical or horizontal or column or row)	USPAT;	2004/08/26 11:34
		with driv\$4) with second and @ad<20001227	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	977	camera and ((gate or vertical or horizontal or column or row)	USPAT;	2004/08/31 16:03
		near5 driv\$4) with second and @ad<20001227	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	i		IBM_TDB	
-	23	"5144447"	USPAT;	2004/08/26 12:35
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	358/213.ccls.	USPAT;	2004/08/26 12:35
			US-PGPUB;	, ,,========
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	0	358/21311.ccls.	USPAT;	2004/08/26 12:35
			US-PGPUB;	_50.,00,20 12.55
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
۱_	0	358/213.11.ccls.	USPAT;	2004/00/26 12:25
_	"	JJ0/21J.11.005.		2004/08/26 12:35
			US-PGPUB;	
•			EPO; JPO;	
			DERWENT;	
L	L		IBM_TDB	

				2004/00/26 42 25
-	0	358/213.11.ccls.	USPAT;	2004/08/26 12:35
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1	"4573076".PN.	USPAT	2004/08/26 12:36
_	1	"4868646".PN.	USPAT	2004/08/26 12:38
_	1	"4835617".PN.	USPAT	2004/08/26 12:38
<u>-</u>	1 1	"4573076".PN.	USPAT	2004/08/26 13:02
1_	20	"5144447"	USPAT	2004/08/31 14:41
	20	"5144447"	USPAT	2004/08/26 13:02
_	1988	camera and ((gate or vertical or horizontal or column or row)	USPAT;	2004/08/26 14:20
-	1900	adj driv\$4) and @ad<20001227	US-PGPUB;	200 1/00/20 11:20
		auj ulivat) aliu wau 20001227	EPO; JPO;	
			DERWENT;	
			IBM_TDB	2004/00/04 45 42
-	459	camera and ((gate) adj driv\$4) and @ad<20001227	USPAT;	2004/08/31 15:12
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1	"6232939".PN.	USPAT	2004/08/26 14:58
_	1	"5956009".PN.	USPAT	2004/08/26 14:58
_	1	"5923962".PN.	USPAT	2004/08/26 14:58
	1	"5808595".PN.	USPAT	2004/08/26 14:58
_	1	"5682175".PN.	USPAT	2004/08/26 14:58
_	1		USPAT	2004/08/26 14:58
-	1	"5594569".PN.		
-	116	348/304.ccls.	USPAT;	2004/08/30 17:22
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	· 9	348/304.ccls. and (molybdenum or tantalum or titanium or	USPAT;	2004/08/30 17:23
		chromium)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	"09748219"	USPAT;	2004/08/31 10:39
		331.13223	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
1			IBM_TDB	
		"740210"	USPAT;	2004/08/31 10:30
-	9	"748219"	US-PGPUB;	2004/08/31 10:39
1			EPO; JPO;	
1			DERWENT;	
			IBM_TDB	2004/00/04 12 =
-	1	"748219" and wavelength	USPAT;	2004/08/31 10:51
			US-PGPUB;	
1			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1	"748219" and ((wavelength adj convert\$4) or scintillator)	USPAT;	2004/08/31 10:52
	1		US-PGPUB;	
			EPO; JPO;	
1			DERWENT;	
			IBM_TDB	
		249/204 cdc and ((way)alongth adj convert#4) or cointillator)	USPAT;	2004/08/31 10:54
-	5	348/304.ccls. and ((wavelength adj convert\$4) or scintillator)		2004/08/31 10:56
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	<u> </u>

-	3	348/304.ccls. and ((wavelength adj convert\$4) or scintillator) and film	USPAT; US-PGPUB;	2004/08/31 10:56
			EPO; JPO;	
			DERWENT; IBM_TDB	
_	11	"5144447" and period and resist\$5	USPAT	2004/08/31 14:55
-	11	"5144447" and period and resist\$5	USPAT	2004/08/31 15:03
-	10	348/304.ccls. and thin with film with transistor	USPAT	2004/08/31 15:11 2004/08/31 15:11
-	410	348/303.ccls. and thin with film with transistor camera and ((gate) adj driv\$4) and thin with film with	USPAT USPAT;	2004/08/31 15:11
_	410	transistor	US-PGPUB;	200 1,00,01 13:13
			EPO; JPO;	
			DERWENT;	
_	255	camera and ((gate) adj driv\$4) and thin with film with	IBM_TDB USPAT;	2004/08/31 15:29
	255	transistor and (sens\$4 or detect\$4 or photo\$1detect\$4 or	US-PGPUB;	200 1/00/01 10:25
		photo\$1sens\$4)	EPO; JPO;	
			DERWENT;	
	2	"20020176009"	IBM_TDB USPAT;	2004/08/31 15:29
		20020170003	US-PGPUB;	200 1,00,31 13.23
			EPO; JPO;	
			DERWENT;	
	3	"09075382"	IBM_TDB USPAT;	2004/08/31 15:46
-]	05073302	US-PGPUB;	200 1/00/31 13:10
			EPO; JPO;	
			DERWENT;	
_	102	348/303.ccls.	IBM_TDB USPAT;	2004/08/31 15:46
_	102	3 70/303.ccis.	US-PGPUB;	200 1/00/31 13.10
			EPO; JPO;	
			DERWENT;	
	480	camera and ((gate or vertical or horizontal or column or row)	IBM_TDB USPAT;	2004/08/31 17:22
	100	near5 driv\$4) and read\$4 same gate same horizontal same	US-PGPUB;	200 1/00/01 1/122
		vertical	EPO; JPO;	
			DERWENT; IBM_TDB	
_	80	camera and ((gate or vertical or horizontal or column or row)	USPAT;	2004/09/01 10:13
		near5 driv\$4) and ((read\$4 adj out) or readout) with circuit	US-PGPUB;	
		same gate same horizontal same vertical	EPO; JPO;	
			DERWENT; IBM_TDB	
-	924	camera and source with (read\$1out or (read\$4)) with circuit	USPAT;	2004/09/01 11:07
		and driv\$4	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM_TDB	
-	4	"4621291"	USPAT;	2004/09/01 13:02
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM_TDB	
-	208	348/\$.ccls. and ((thin adj film adj transistor) or tft) same	USPAT;	2004/09/01 14:11
		(driv\$4 or read\$4) same (gate or source or drain)	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM_TDB	
-	166	348/\$.ccls. and ((thin adj film adj transistor) or tft) same	USPAT;	2004/09/01 14:14
		(driv\$4 or read\$4) same (gate or source or drain) and	US-PGPUB; EPO; JPO;	
		@ad < 20001227	DERWENT;	
			IBM_TDB	

-	39	348/294-308.ccls. and ((thin adj film adj transistor) or tft)	USPAT;	2004/09/01 14:59
		same (driv\$4 or read\$4) same (gate or source or drain) and	US-PGPUB;	İ
		@ad<20001227	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	3	"6407393"	USPAT;	2004/09/01 14:59
	-		US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	2	"6407393" and advantage\$2 and tft and thin with film with	USPAT;	2004/09/01 15:01
_	-	transistor	US-PGPUB;	, ,
		ti di isistoi	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
	448	th with advantage and camera	USPAT;	2004/09/01 15:09
-	440	tft with advantage and camera	US-PGPUB;	200 1, 05, 02 20101
ļ	1		EPO; JPO;	
			DERWENT;	
			IBM_TDB	
	4.5	in the least and amount display	USPAT;	2004/09/01 15:03
-	16	tft with advantage and camera not display	US-PGPUB;	2004/03/01 13.03
			,	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	2004/00/01 15:11
-	198	tft with advantage and camera and sens\$4	USPAT;	2004/09/01 15:11
			US-PGPUB;	
		·	EPO; JPO;	
			DERWENT;	
			IBM_TDB	0004/00/04 45 40
-	104	tft with advantage and camera and (detedt\$4 or sens\$4 or	USPAT;	2004/09/01 15:19
		photo\$1detect\$4 or photo\$1sens\$4) same (thin adj film adj	US-PGPUB;	
		transistor or tft)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	6	"4797560" and scintillator	USPAT;	2004/09/01 15:39
			US-PGPUB;	·
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	4	"4797560" and scintillator and ((thin wih film with transistor) or	USPAT;	2004/09/01 15:54
		tft)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1	"4797560" and scintillator and ((thin with film with transistor)	USPAT;	2004/09/01 15:54
		or tft)	US-PGPUB;	
		-	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	0	(5920070.pn. or 4621291.pn. or 4835617.pn. or 5144447.pn.)	USPAT;	2004/09/02 11:09
		and (selenium or iodide or gallium or arsenide)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	0	(4797560.pn. or 4621291.pn. or 4835617.pn. or 5144447.pn.)	USPAT;	2004/09/01 18:11
		and (selenium or iodide or gallium or arsenide)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
	1			

-	53	348/294-308.ccls. and (selenium or iodide or gallium or	USPAT;	2004/09/01 18:11
		arsenide)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	

Search History 9/2/04 7:01:53 PM Page 8 C:\09748219.wsp